



Read the leaflet [Legionella in Spa Pools](#) and the [FAQ for Holiday Lets](#) before completing this self-assessment questionnaire. Note any actions you need to take. Further guidance can be found in the document [HSG282 The control of legionella and other infectious agents in spa pool systems](#), which can be downloaded from www.hse.gov.uk/legionnaires/spapools.htm

A. Spa Pool Details

1. Make and model of pool	
2. Capacity (persons)	
3. Location and access	
4. Continuous dosing system (type)	
5. Disinfectant in use and method of treatment if not continuous	
6. Other treatment (e.g. pH adjustment, buffering)	
7. Your target chemical levels	Disinfectant.....(mg/L) pH.....
8. Advice notice for users	

B. COSHH

1. Legionella considered	
2. Chemicals etc. considered	
3. Risks to health evaluated	
4. Control measures put in place	
5. Assessment recorded	
6. Training	
7. PPE	
8. Chemical storage	Secure..... Clearly marked..... Se

4. Assessment recorded	
5. Training	
6. Electrical safety	

D. Pool Monitoring

1. Who monitors the pool	
2. How frequently	
3. Monitoring method	Comparator..... <input type="checkbox"/> Test strips..... <input type="checkbox"/>
4. Parameters monitored	Clarity..... <input type="checkbox"/> Colour..... <input type="checkbox"/> Temperature..... <input type="checkbox"/> Disinfectant..... <input type="checkbox"/> pH..... <input type="checkbox"/>

5. Monitoring records